No.



9100198

THE UNITED STATES OF AMERICA

Agripro Biosciences Inc.

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different

TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT.

UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS

PF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS

THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

'Longhorn'

In Lestimony Winercot, I have hereunto set my hand and caused the seal of the Plant Gariety Brotection Office to be affixed at the City of Washington, D.C.

this 30th day of April in the year of our Lord one thousand nine hundred and ninety-three.

Allost

Lennet Hwars

Plant Variety Protection Office Agricultural Marketing Service

Secretary of Agriculture

APPROVAL EXPIRES 4-30-85 U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FORM APPROVED: OMS NO. 0581-0055 Application is required in order to determine if a plant variety protection certificate is to APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (Instructions on reverse) (7 U.S.C. 2426). 1. NAME OF APPLICANT(S) HybriTech Us, a 2. TEMPORARY DESIGNATION 3. VARIETY NAME -AgriPro Biosciences Inc. Monsanto Company WI88-024 Longhorn CGM OL Tim 1998 4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) FOR OFFICIAL USE ONLY PHONE (Include area code) PVPO NUMBER 6700 Antioch 913-384-4940 (KS) 9100198 Shawnee Mission, Kansas 66204 303-532-3721 (CO) 6. GENUS AND SPECIES NAME 7. FAMILY NAME (Botanical) Triticum a<u>estivum</u> Gramineae 8. KIND NAME RECEIVED Hard Red Winter Wheat 10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) EES Corporation 11. IF INCORPORATED, GIVE STATE OF INCORPORATION 12. DATE OF INCORPORATION February 10, 1989 13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Mark J. Messmer R.E. Heiner C. Bruns or Hybritechnus 6700 Antioch P.O. Box 30 5912 North Meridian Shawnee Mission, 66204 CO 8051 Jichita, KS 67204 RIATE BOX FOR EACH ATTACHMENT SUBMITTED Fax: 316-755-0072 Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Ac ь. **К**Х Email: Mark. J. Messmer@ Exhibit B, Novelty Statement. Exhibit B, Novelty Statement.

CGM Ol Jun 1998

Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.) c. 🖾 Monsanto. Com d. XX Exhibit D, Additional Description of Variety. Exhibit E. Statement of the Basis of Applicant's Ownership. Exhibit F. Quality & Agronomic Data DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.) Yes (If "Yes," answer items 16 and 17 below) No 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? 17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? XX Yes X Registered X Foundation Certified 18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S. 'Yes." give date) 19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES ? Yes (If "Yes," give names of countries and dates) 20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties. SIGNATURE OF APPLICANT DATE

SIGNATURE OF APPLICANT

EXHIBIT A.

ORIGIN AND BREEDING HISTORY OF LONGHORN

Longhorn originated from the cross NS2630-1/Thunderbird made in 1983. Longhorn was observed regionally as an F4 plant row in 1986. Longhorn was tested in preliminary yield trials in 1987 and designated experimental number WI88-024. Longhorn has been tested in AgriPro replicated trials representing a fairly broad area of the Hard Red Winter Wheat region from 1988 thru 1990. Longhorn is entered in selected official 1991 university trials and the 1991 Southern Regional Preformance Nursery.

In 1989, head-rows were grown in Berthoud, Colorado. Progeny of these head-rows were selected for harvest in a .5 acre progeny breeder seed increase in 1990, which produced 900 pounds of breeder seed.

Longhorn is uniform and stable. Less than 0.5% of the plants were rogued from the breeder seed field in 1990. Approximately 90% of these rogued variant plants were five to twelve centimeters taller than Longhorn. There were also .01% awned wheat plants discarded from this breeder seed field. Up to 1% total variant plants may be encountered in subsequent generations.

EXHIBIT B.

NOVELTY STATEMENT

Longhorn is most similar to the hard red winter wheat Thunderbird. However, it can be distinguished by the following morphological characteristics:

- Longhorn is an awnletted hard red winter wheat.
 Thunderbird is an awned hard red winter wheat.
- Longhorn is blue-green at boot stage. Thunderbird is green at boot stage.
- Longhorn has an obtuse beak on the glume. Thunderbird has an acute beak on its glume.
- Longhorn has a round to square shoulder shape on the glume. Thunderbird has an oblique shoulder shape.

EXHIBIT C (Wheat)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

INSTRUCTIONS: See Reverse. WHEAT (TRIT	ICUM SPP.)	,		
NAME OF APPLICANT(S)			ICIAL USE ONLY	<u>r</u>
AgriPro Biosciences Inc. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)		PVPO NUMBER	9100	198
6700 Antioch		VARIETY NAME OF		170
Shawnee Mission, KS 66204	٠.	DESIGNATION		•
Shawnee 111551011, 125 00204				
TN		1		
Place the appropriate number that describes the varietal character Place a zero in first box (e-s- 0 8 9 or 0 9) when number is			•	·
I. KIND:				
1 1 = COMMON 2 = OURUM 3 = EMMER 4 = SPELT 5 =	POLISH 6 = POL	JLARD 7 = CLUS		·
2. TYPE,		3 = OTHER (Specify)		
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)	2 1 = SOFT 2 = HARD	3 - Olucu (abecul)		
2 1 = WHITE 2 = RED 3 = OTHER (Specify)				
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:				
2 3 4 FIRST FLOWERING	2 4 0 LAS	T FLOWERING	<u> </u>	
4. MATURITY (50% Flowering): *Equal to Thunderbird				
NO. OF DAYS EARLIER THAN	1 = ARTHUF	2 = SCOUT	3 = CHRIS	
	4 = LEMHI	5 = NUGAINES	6 = LEEDS	
NO. OF DAYS LATER THAN	<u></u>			· · · · · · · · · · · · · · · · · · ·
5. PLANT HEIGHT (From sail level to top of head):				
0 9 6 cm. high				
GM. TALLER THAN		•		
	اتتا ا = ARTHU	R 2 = SCOUT	3 = CHRIS	
0 3 CM. SHORTER THAN	7 4 = LEMHI	5 = NUGAINES	6 = LEEDS	7)Thunderbi
6. PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COLO	₹:		
3 1 = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 I = YELLOW	2 = PURPLE		
8. STEM:				
Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Waxy bloom:	1 = ABSENT 2 =	PRESENT	
2 Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT	1 Internodes: 1	= HOLLOW 2 = SO	LID	
0 5 NO. OF NODES (Originating from node above ground)		ERNODE LENGTH BE EAF BELOW	TWEEN FLAG L	.EAF
9. AURICLES:				
2 Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Hairiness: 1	= ABSENT 2 = P	RESENT	
10. LEAF:		•		
Flag leaf at 1 = ERECT 2 = RECURVED booting stage: 3 = OTHER (Specify):	2 Flag leaf: 1	= NOT TWISTED 2	='TWSTED	•
Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT	2 Vaxy bloom o	f fing leaf sheath: 1 =	ABSENT 2	= PRESENT
1 2 MM. LEAF WIDTH (First leaf below flag leaf)	2 5 CM. LE	AF LENGTH (First Is	al below flag les	id):

FORM GR-470-5 (REVERSE)			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
11. HEAD: 3 Density: 1 = LAX 2 = DE	NSE 3=middense	Shape: 1 = TAPERIN 4 = OTHER (S	
3 Awnedness: 1 = AWNLESS	2 = APICALLY AWNLETED 3 =	= AWNLETED ' 4 = AWNED	
Color at maturity: 5 = BROWN	2 = YELLOW 3 = PINK 4 = 6 = BLACK 7 = GTHER	RED (Specify):	
0 9 CM. LENGTH		9. 5 MM. WIDTH	
12. GLUMES AT MATURITY: Length: I = SHORT (CA. 7 mm 3 = LONG (CA. 9 mm)		Tidth: 1 = NARROW (3 = WIDE (CA.	
Shoulder 1 = WANTING 2 4-3 shape: 4 = SQUARE 5 =	Counded = oblique 3 = rounded elevated 6 = apiculate	1 Веак: 1 = ОВТИSE	2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLOR:		14. SEEDLING ANTHOCYA	NIN:
1 1 = WHITE 2 = RED 3	= PURPLE	2 1 = ABSENT 2 =	PRESENT
15. JUVENILE PLANT GROWTH HA	BIT:		
2 1 = PROSTRATE 2	= SEMI-ERECT 3 = ERECT	r	
ovate to elli	ntical	·	
	AL 3 = ELLIPTICAL	1 Cheek: l = ROUNDE	2 = ANGULAR
2 Brush: I = SHORT 2 =	ong 3 = Long	Brush: I = NOT COL	LLARED 2 = COLLARED
Phenol reaction 1 = 1VC (See instructions): 4 = 88			
Golor: I = WHITE 2 = AM	BER 3 = RED 4 = PURPLE	5 = OTHER (Specify)	
6. 2 MM. LENGTH	. 1 MM. WIDTH	3 5 GM. PER 1000 S	EEDS
17. SEED CREASE:			
1 Width: 1 ≈ 60% OR LESS OF	KERNEL 'WINOKA'	1 Depth: 1 = 20% OR	LESS OF KERNEL 'SCOUT'
2 = 80% OR LESS OF F	ERNEL 'CHRIS'	2 = 35% OR	LESS OF KERNEL 'CHRIS'
3 = NEARLY AS WIDE	and the second s	- ·	LESS OF KERNEL 'LEMHI'
18. DISEASE: (0 = Not Tested, 1 =	Susceptible, $2 = Resistant) 3 = MO($	derately Susceptibl	e 4= <u>Mod</u> erately Resistant
4 (Races) field races	4 (Races) field races	0 STRIPE RUST	0 LOOSE SMUT
3 POWDERY MILDEW	О тица	O OTHER (Specify)	•
19. INSECT: (0 = Not Tested, 1 = 5	usceptible, 2 = Resistant) 3=MO(derately Suscentibl	e 4=Moderately Resistant
0 SAWFLY	APHID (Bydy.)	O GREEN BUG	O CEREAL LEAF BEETLE
O OTHER (Specify)	HESSIAN FLY	1 GP 0 A	0 a 0 c
	RACES:	0 o 0 E	0 F 0 G
20. INDICATE WHICH VARIETY MO		JBMITTED:	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
	underhird	Seed size	Sierra
	underbird	Seed shape	Sierra
	53	Colescribe elongation	<u>Thunderhird</u>
Leaf carriage ! Th	underbird	Seeding pigmentation	Thunderhird
	INSTRUC	CTIONS	

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.T. Briggie and L. P. Reitz. 1963, Classification of Triticum Species and Theat Varieties Grown in the United States. Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Theat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysis. (See attachment.)

EXHIBIT D.

ADDITIONAL BOTANICAL DESCRIPTION OF LONGHORN

Longhorn is a hard red winter wheat bred and developed by AgriPro Biosciences Inc. This variety is a high yielding, medium height semidwarf with long coleoptiles, midseason maturity, strong-straw and fair winterhardiness. Longhorn provides good resistance to the current predominant field races of leaf and stem rust. Longhorn has been identified as having good test weight patterns and excellent milling and baking properties.

Juvenile growth is semi-erect. Plant color is blue green at boot stage with an erect, twisted flag leaf. Auricle hairs and anthocyanin are present. Waxey bloom is present on the flag leaf sheath, head and stem. Head shape is tapering, middense, awnletted and white at maturity. Glumes are short in length and of medium width with rounded to square shoulder shapes and obtuse beaks. Seed shape is ovate (some slightly elliptical) with rounded cheeks and midlong to long brush hairs. Seed crease is narrow and depth is shallow.

Longhorn is broadly adapted to a large portion of the HRWW region. It appears to be best adapted to the HRWW growing regions of Kansas, southern Nebraska, Oklahoma and Texas.

EXHIBIT E.

STATEMENT OF THE BASIS OF APPLICANTS OWNERSHIP

AgriPro Biosciences Inc. is the applicant for protection in this case being:

- a) The incorporated business (registered in Delaware) for and within which regular employees have bred the named variety.
- b) The proprietory owner and intending commercial user of the variety.

EXHIBIT F.

QUALITY AND AGRONOMIC DATA

Quality Data	•	•	•	•	•	•	. • '	•	•	•	•	•	•	•	.page	1
Agronomic Da	ta	•		•			•	•	•	•	•	•	•		.page	2

AGRIPRO WHEAT HARD RED WINITER WHEAT

YEAR: 1990

	Ę.		ļ. ·										~		
	OVER ALL	æ	43	3	41	ස	84	43	67	66	3	S	23	47	
	8 8	M	2	7	7	~	ന	2	7	7	2	. 2	ന	2	
	CRUMB	~	6	7	(C)	ന	4	m ,	ຸຕ	ന	m	7	4	· ന	
λIJ	18	یم ا	4	က	ന	4	4	4	4	4	ď	m	Ŋ	4	
BAKTING QUALITIY	LOAF	8 8		910 7			1100 4	1000 6	920 7	1000 4			1110 3	986 5	
BAK	MIX	min R	4.50 3	4.00 1				3.90 2	4.50 3	4.25 1	4.001	3.25 1	5.50 7	4.30 3	
	ABS	% R		62.0 5				62.2 4				62.05		61.8 4	
	TOL	IIII R		1000 5				1246 4				1437 4		1584 3	
	MIXOGRAM PK E HT	N.U.	4.8	4.8	0	ທຸ	4.2	4.9	8.4	0.0	5.0	5.3	4.7	5.0	
		min	4.50					3.90				3.25		4.30	
VIIIV	ASH		7777	بر دورو	8	8	8	505	764					.541	
FLOUR/WHEAT QUALITY	ATR VID	% R	72.0 1	70.8	0.8 1	66.8 1	64.4 2	69.0 1	69.43			70.12		66.93	
FLOUR/	NATRO		98	æ (31	£ 5	<u>6</u>	81	55	8	74	78	83	8	
			63	3 :	7 !	6	ጸ	2	ය	ß	8	6	8	2	
	FLR	14%nb R	12.1 4	11.36	11.7 4	12.83	12.8 /	12.1 5	11.66	12.4 4	11.16	11.76	12.8 7	11.96	
	WHI	14%nb	13.4		٠. د.	5.58 8.58	13./	13.5	12.5	13.5	12.4	12.6	13.7	12.9	
	22		2	5	당 !	2 i	ž		2	벙	ᅜ	2	¥		
	VARIETY OR LINE		VIESS-024	WLB8-024	W168-024	WIBS-024	W188-U24	AVERAGE	HAVK	HAIK	HAMK	HAWK	HAWK	AVERACE	
	YEAR		88	3 8	6 6	3 6	8		8	8	කි	සි	88		

	VAISS	L W G G G 4
	SIEN	
	MSIN	87 8 8 7 8
	計	ထ ထ ထ ထ တ ့ ထ '
٠	E	8 W 4 B 10 W
÷.	STEM RUST	
	LEAF BUST	
	LEAF BUST	0 0 0 m 0 m
	STRAW	ਅ ਵਾਂ 10 ਲ ਵਾਂ 14
		4 4 7) 1) 4 H
	08700	யல்கள்மு
	割	11 m w 12 m w
	AWTH	மம் ம் மம்
		ស [់] 4 លេ ៧ ៧
	T.WT. (18/80)	62.4 61.2 60.6 62.2 61.2
	3-rr. Avg	73.1 79.9 75.3 74.1 77.7
(V)	96	62.3 73.0 58.4 67.6 67.5
TELD (BU/A)	18 1949 1	78.0 79.1 81.5 85.1 77.4 88.1 76.0 78.6 74.8 88.6
	1988	78.0 81.5 77.4 76.0 74.8
	VAR./	WI88-024 WI88-083 HAWK THUND.BD VICTORY ABILENE

Data generated in 1988;

Berthoud, CO - Yield, Test Wt., Height, Lodging severity (straw strength), Maturity, Pollination, Hessian Fly (greenhouse

screening), Powdery Mildew, Leaf Rust, Stem Rust (greenhouse screening)

Salina, KS - Yield, Test Wt.

Everest, KS - Soil Borne Mosaic Virus

Data generated in 1989:

Berthoud, CO - Yield, Test Wt., Height, Heading Date, Stem Rust (grnhse. & field), Leaf Rust (grnhse)

Nardin, OK - Yield, Test Wt., Height, Maturity, Lodging severity (straw strength), Leaf Rust (field)

Garden City, KS - Yield, Test Wt.

Geneva, NE - Yield, Test Wt., Height

Data generated in 1990;

Berthoud, CO - Yield, Test Wt., Height, Powdery Mildew, Coleoptile (grnhse), Leaf Rust (grnhse), Stem Rust (field & grnhse)

Nardin, OK - Yield, Test Wt., Maturity, Height, Leaf Rust

Wichita, KS - Yield, Powdery Mildew

Salina, KS - Yield, Leaf Rust

Everest, KS - Yield, SSWV

Geneva, NB - Yield, Leaf Rust

Grant, NE - Yield, Test Wt., Lodging severity (straw strength), SBWV

Burlington, CO - Yield, Test Wt., Lodging severity

Hays, KS - WSMV (visual screening, Dr. T.J. Martin, KSU)

"The rankings in the table above are based on a scale of 1-9, where I and 9 represent the following extremes for the respective traits.

			6	
٠.	Test Weight	high	low	
	Heading	early	late	
	Anthesis	early	late	
	Maturity	early	late	
	Coleoptile	long	short	
	Height	short	tall	
	Straw strength	strong	weak	
1	All disease & insect ratings	resistant	susceptible	